



LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
30-2353	8.2	1.6	0.035 Kg/m
10-1571	8.9	7	0.168 Kg/m
10-1572	9.95	7.9	0.212 Kg/m
40-6587	10	2	0.054 Kg/m
30-1668	10	3	0.082 Kg/m
10-2521	11	8	0.237 Kg/m
10-2266	11.1	6.4	0.192 Kg/m
40-4028	12	1.6	0.052 Kg/m
40-6941	12	2.5	0.081 Kg/m
10-2811	12	3	0.097 Kg/m
40-8705	12	5	0.262 Kg/m
50-7435	12	7	0.227 Kg/m
10-1859*	12	8	0.259 Kg/m
30-2837	12	8	0.260 Kg/m
10-3722	12	10	0.324 Kg/m
20-448	12.5	4.6	0.160 Kg/m
40-1449	12.6	2.5	0.085 Kg/m
20-428	13	3	0.110 Kg/m
20-472	13.8	8.9	0.340 Kg/m
40-8926	13.9	8.9	0.335 Kg/m
10-3743	14	8	0.302 Kg/m
30-3594	14	12	0.455 Kg/m
30-2139	15	1.8	0.074 Kg/m
40-7474	15	2	0.081 Kg/m
40-3229	15	2.5	0.100 Kg/m
10-1574	15	3	0.121 Kg/m
40-3718	15	3.1	0.126 Kg/m
30-1665	15	4	0.153 Kg/m
30-1892	15	5	0.201 Kg/m
10-1231	15	10	0.405 Kg/m
30-2690	15.1	8.1	0.331 Kg/m
30-1728	15.5	4.5	0.179 Kg/m
10-1575	16	5	0.216 Kg/m

LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
10-1578*	16	6	0.257 Kg/m
10-1576	16	8	0.346 Kg/m
20-449	17	2	0.100 Kg/m
10-1579	17	4.5	0.208 Kg/m
10-1853*	17	5	0.229 Kg/m
10-2959*	17	7	0.316 Kg/m
10-1580	17	7	0.321 Kg/m
10-1581	17	10	0.459 Kg/m
10-2438*	17.8	9.8	0.470 Kg/m
20-450	18	2	0.100 Kg/m
40-6630	18	2.5	0.121 Kg/m
20-417	18	4	0.200 Kg/m
10-1582*	18	6.5	0.315 Kg/m
20-416	18	7	0.345 Kg/m
10-1583*	18	8	0.388 Kg/m
10-1584	18	10	0.468 Kg/m
30-3585	18.5	10	0.501 Kg/m
10-1585	19	3.6	0.185 Kg/m
50-12547	19	7	0.306 Kg/m
10-1586	19.75	2.7	0.143 Kg/m
20-4849	19.8	6	0.325 Kg/m
40-1573	20	2	0.108 Kg/m
20-422	20	3	0.170 Kg/m
40-3121	20	4.5	0.246 Kg/m
10-1587	20	5	0.269 Kg/m
10-2588*	20	7.9	0.423 Kg/m
10-1588	20	8	0.432 Kg/m
10-2210	20	10	0.539 Kg/m
50-8819*	22	5	0.294 Kg/m
10-2686*	23	8	0.496 Kg/m
30-2262	23	11	0.686 Kg/m
50-5631*	23.5	2	0.127 Kg/m
30-3584	24	5	0.325 Kg/m





LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
20-9600	25	2	0.140 Kg/m
10-1589	25	2.5	0.169 Kg/m
30-2311	25	2.8	0.187 Kg/m
40-3594	25	3	0.203 Kg/m
10-1289	25	5	0.338 Kg/m
20-491 *	25	5.65	0.390 Kg/m
10-1864*	25	7	0.470 Kg/m
30-2462	25	8	0.542 Kg/m
30-1633	25	10	0.678 Kg/m
30-2396	27	3.8	0.277 Kg/m
40-8706	27	16	1.171 Kg/m
10-1591	28.1	2.7	0.194 Kg/m
50-7425	30	1.5	0.122 Kg/m
40-4312	30	2	0.162 Kg/m
10-1959	30	3	0.242 Kg/m
20-464	30	4	0.330 Kg/m
20-405	30	5	0.410 Kg/m
40-3202	30	6	0.487 Kg/m
40-4026	30	6.75	0.548 Kg/m
10-1592*	30	7	0.563 Kg/m
10-1593*	30	8	0.644 Kg/m
10-1595	30	8	0.648 Kg/m
10-1594*	30	10	0.809 Kg/m
30-1047	30	16	1.301 Kg/m
30-1046	30	20	1.626 Kg/m
30-1636	31.5	4	0.342 Kg/m
10-1596	33	4	0.356 Kg/m
10-1597*	34	8	0.734 Kg/m
10-1598	35	2	0.189 Kg/m
20-487	35	3	0.290 Kg/m
50-6264*	35	8	0.756 Kg/m
20-4848 ***	35	17	1.615 Kg/m
10-1570	35	30	2.835 Kg/m
20-446	36	3	0.295 Kg/m

LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
20-489	38	7	0.730 Kg/m
10-1599*	38.7	6.3	0.635 Kg/m
10-1600	40	1.2	0.129 Kg/m
30-2835	40	1.5	0.163 Kg/m
20-459	40	2	0.220 Kg/m
10-1601	40	3	0.324 Kg/m
40-9165	40	4	0.433 Kg/m
20-439	40	5	0.545 Kg/m
20-478	40	6	0.660 Kg/m
20-404	40	10	1.090 Kg/m
50-6040	45	13	1.580 Kg/m
20-470	43.5	9.7	1.150 Kg/m
40-3948*	44	9.8	1.167 Kg/m
20-8585	45	8	0.980 Kg/m
40-7341	45	12	1.463 Kg/m
10-1412	45	13	1.580 Kg/m
40-10064	46	4	0.498 Kg/m
20-467 **	46.8	27.8	3.510 Kg/m
20-11584	50	2	0.275 Kg/m
10-1854	50	3	0.405 Kg/m
20-427	50	5	0.680 Kg/m
20-445	50	6	0.815 Kg/m
50-5983	50	8	1.080 Kg/m
30-1634	50	9	1.220 Kg/m
10-3425	50	10	1.350 Kg/m
10-4961*	50	20	2.698 Kg/m
50-7516*	55	1.4	0.208 Kg/m
50-10671*	55	2	0.297 Kg/m
40-9675	55	4	0.596 Kg/m
50-7424	58	1.5	0.235 Kg/m
20-457	59	12	1.925 Kg/m
40-9798	60	1.4	0.228 Kg/m
40-3532	60	2	0.325 Kg/m
40-7673	60	4	0.650 Kg/m





LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
20-412	60	5	0.815 Kg/m
20-460	60	6	0.980 Kg/m
10-4269	60	10	1.620 Kg/m
10-2151	60	12	1.943 Kg/m
10-2488	60	25.2	4.096 Kg/m
20-480	60	30	4.885 Kg/m
10-4526*	60	40	6.478 Kg/m
50-7930*	65	15	2.632 Kg/m
20-403	70	10	1.900 Kg/m
50-12306*	70	15	2.843 Kg/m
20-8584	72	22	4.300 Kg/m
10-1537	75	10	2.025 Kg/m
40-8618	65	14	2.466 Kg/m
40-6287	70	3	0.569 Kg/m
40-10811	70	4	0.759 Kg/m
40-5270	75	7	1.422 Kg/m
50-12156*	80	2	0.433 Kg/m
20-465	80	6	1.310 Kg/m
20-458	80	8	1.740 Kg/m
20-479	80	10	2.175 Kg/m
10-3426	80	12	2.592 Kg/m
10-1602*	80	20	4.320 Kg/m
10-4677	80	40	8.637 Kg/m
50-12001*	84.6	4	0.916 Kg/m
10-3869	85	12	2.754 Kg/m
50-12002*	86.6	4	0.938 Kg/m
50-11107	90	2	0.486 Kg/m
20-402	90	4	0.980 Kg/m
50-8858*	90	6	1.457 Kg/m
10-1379	90	10	2.430 Kg/m
20-401	92	3.5	0.880 Kg/m
30-2205	92.07	11.14	2.778 Kg/m
40-3176	100	3.5	0.939 Kg/m
50-5097	100	4	1.080 Kg/m

LAMA PROFİLİ

Profil No	A (mm)	S (mm)	Ağırlık Kg/m
20-411	100	5	1.360 Kg/m
50-11662*	100	6	1.625 Kg/m
50-7887	100	8	2.160 Kg/m
10-1603	100	10	2.700 Kg/m
20-481	100	20	5.430 Kg/m
20-456	100	40	10.850 Kg/m
20-462	101	7	1.920 Kg/m
20-473	101	15	4.110 Kg/m
20-410	103.5	4	1.130 Kg/m
20-409	112.5	3	0.915 Kg/m
40-3204	105	2	0.596 Kg/m
30-3201	106	12	3.448 Kg/m
40-3104	110	2.5	0.737 Kg/m
50-6321	120	2	0.648 Kg/m
40-3727	126	2.5	0.853 Kg/m
30-1608	132	2	0.176 Kg/m
20-474	139	10	3.775 Kg/m
30-1656	150	15	6.098 Kg/m
10-3418	150	20	8.100 Kg/m
20-454	155	15	6.300 Kg/m
10-1604	160	4	1.728 Kg/m
10-1605	160	10	4.320 Kg/m
20-475	165	6	2.690 Kg/m
20-484	177	3	1.450 Kg/m
50-6811	180	3	1.458 Kg/m
10-3828	185	20	9.990 Kg/m
20-476	200	10	5.430 Kg/m
20-500	200	15	8.140 Kg/m
30-2550	200	17.5	9.485 Kg/m
10-1606	200	18	9.720 Kg/m
20-466	200	20	10.850 Kg/m
20-8444	200	25	13.555 Kg/m
30-2446	200	30	16.246 Kg/m
10-3827	250	20	13.500 Kg/m





OVAL LAMA PROFİLİ

Profil No	A (mm)	S (mm)	F (mm)	Ağırlık Kg/m
40-1708	10	2	1	0.051 Kg/m
10-1577	16	7		0.274 Kg/m
40-5619	17	4	2	0.174 Kg/m
40-4179	17.7	2.8	1.4	0.129 Kg/m
40-3242	18	3	1.5	0.141 Kg/m
10-1411	20	3		0.157 Kg/m
40-1506	20	3	1.5	0.157 Kg/m
10-1418	20	4		0.207 Kg/m
10-2503	20	6		0.303 Kg/m
40-6661	20	6	3	0.304 Kg/m
40-6919	21	2	1	0.111 Kg/m
40-5583	23.1	1.2	0.6	0.074 Kg/m
40-4400	25	2.8	1.4	0.185 Kg/m
40-1507	25	4	2	0.261 Kg/m
10-1590	25	5		0.325 Kg/m
50-8903	25	6	*	0.384 Kg/m
50-11989	30	2.5	*	0.200 Kg/m
40-1489	30	3	1.5	0.238 Kg/m
50-8904	30	6	*	0.465 Kg/m
40-5376	32	3	1.5	0.254 Kg/m
40-3173	34.65	2.8	1.4	0.255 Kg/m
40-1670	40	4	2	0.424 Kg/m
50-7916	40	6	*	0.627 Kg/m

OVAL LAMA PROFİLİ

Profil No	A (mm)	S (mm)	F (mm)	Ağırlık Kg/m
40-4965	40	6	3	0.629 Kg/m
50-8905	50	6	*	0.789 Kg/m
50-6552	50	6.8	*	0.891 Kg/m
10-1044	55	6		0.873 Kg/m
50-8906	62.5	6	*	0.992 Kg/m
50-7914	70	6	*	1.113 Kg/m
10-1048	74.9	6.9		1.368 Kg/m
50-8907	75	6	*	1.194 Kg/m
10-1045	80	6		1.275 Kg/m
40-4288	80	6	3	1.279 Kg/m
40-3352	80	7	3.5	1.480 Kg/m
10-1049	99.9	6.9		1.833 Kg/m
50-11280	100	6	*	1.604 Kg/m
40-3153	100	7	3.5	1.869 Kg/m
10-1046	110	6		1.791 Kg/m
50-7911	125	6	*	2.004 Kg/m
10-1050	129.9	6.9		2.392 Kg/m
50-7910	140	6	*	2.247 Kg/m
10-1047	160	6		2.571 Kg/m
50-10561	160	7	*	2.996 Kg/m
50-11279	170	6	*	2.742 Kg/m
10-2941	200	6		3.219 Kg/m
50-10560	229.5	7	*	4.301 Kg/m






RADIUSLU LAMA PROFİLİ

Profil No	a mm	b mm	r mm	Ağırlık Kg/m
40-1640	10	1	0.5	0.031 Kg/m
40-9050	10	2	0.5	0.048 Kg/m
40-5492	16	5	0.5	0.216 Kg/m
40-9739	19	17	0.5	0.875 Kg/m
40-4228	20	3	0.5	0.162 Kg/m
40-8919	25	8	1	0.540 Kg/m
40-5956	25	10	2	0.668 Kg/m
40-10456	25	9	1.3	0.607 Kg/m
40-4559	26	9	1	0.654 Kg/m
40-8902	30	5	0.5	0.405 Kg/m
40-4634	35	5	0.5	0.473 Kg/m
40-4427	35	10	0.5	0.947 Kg/m
40-9461	35	10	3	0.928 Kg/m
40-10457	36	14	0.8	1.356 Kg/m
40-10003	39	10	0.4	1.057 Kg/m
40-4366	40	6	0.5	0.649 Kg/m
40-7557	40	8	2	0.857 Kg/m
40-7353	40	10	0.5	1.083 Kg/m
40-5878	43	5	0.5	0.575 Kg/m
40-4319	45	4	0.5	0.487 Kg/m
40-6282	50	3	0.5	0.405 Kg/m
40-6204	50	4	0.5	0.541 Kg/m
40-7597	50	5	0.5	0.676 Kg/m
40-5966	50	6	0.5	0.812 Kg/m
40-5611	50	10	0.5	1.354 Kg/m
40-4311	50	20	3	2.689 Kg/m

RADIUSLU LAMA PROFİLİ

Profil No	a mm	b mm	r mm	Ağırlık Kg/m
40-6371	53	4	0.5	0.502 Kg/m
40-9621	58	5	1	0.699 Kg/m
40-4526	60	5	0.5	0.812 Kg/m
40-7797	61	6	1	0.989 Kg/m
40-9931	70	10	0.5	1.896 Kg/m
40-7890	76	8	PAH	1.642 Kg/m
40-4659	80	10	0.5	2.145 Kg/m
40-6698	80	30	5	6.445 Kg/m
40-8539	80	40	1	8.670 Kg/m
40-7933	85	5	0.5	1.152 Kg/m
40-9478	95	9	1	2.315 Kg/m
40-7786	100	5	0.5	1.354 Kg/m
40-4305	100	10	1	2.707 Kg/m
40-8715	100	25	0.5	6.770 Kg/m
40-8496	100	30	0.5	8.129 Kg/m
40-8501	100	35	1	9.482 Kg/m
40-8540	100	50	1	13.548 Kg/m
40-5924	120	4	1	1.298 Kg/m
40-8495	120	30	0.5	9.756 Kg/m
40-8096	120	40	0.5	13.000 Kg/m
40-6233	125	3	0.5	1.015 Kg/m
40-6232	141	3	0.5	1.145 Kg/m
40-6818	150	10	0.5	4.064 Kg/m
40-7798	166	7	1	3.056 Kg/m
40-4378	200	6	1	3.249 Kg/m



Dolu Çubuk

Profil No	A (mm)	Ağırlık Kg/m
30-1052	Ø 3	0.022 Kg/m
40-6665	Ø 4	0.034 Kg/m
30-1536	Ø 5	0.055 Kg/m
30-1367	Ø 6	0.079 Kg/m
40-3969	Ø 7	0.104 Kg/m
10-1556	Ø 7.7	0.126 Kg/m
30-1628	Ø 7.8	0.130 Kg/m
20-504	Ø 8	0.140 Kg/m
20-505	Ø 8.5	0.160 Kg/m
40-4823	Ø 9	0.172 Kg/m
20-506	Ø 9.5	0.195 Kg/m
40-9483	Ø 9.8	0.204 Kg/m
20-507	Ø 10	0.215 Kg/m
10-1179	Ø 12	0.306 Kg/m
20-509	Ø 13	0.360 Kg/m
40-3072	Ø 14	0.417 Kg/m
10-2705	Ø 16	0.543 Kg/m
50-3523	Ø 16.25	0.560 Kg/m
20-511	Ø 17	0.620 Kg/m
10-2068	Ø 18	0.687 Kg/m
20-513	Ø 19	0.770 Kg/m
40-10083	Ø 19.9	0.843 Kg/m
30-2543	Ø 19.95	0.846 Kg/m
10-1557	Ø 20	0.848 Kg/m
20-514	Ø 21	0.940 Kg/m
40-7371	Ø 21.05	0.943 Kg/m
10-1204	Ø 21.8	1.008 Kg/m
30-1050	Ø 22	1.030 Kg/m
40-7370	Ø 23	1.125 Kg/m
10-1286	Ø 23.3	1.151 Kg/m
20-520	Ø 24	1.230 Kg/m
10-1287	Ø 24.8	1.304 Kg/m
10-1558	Ø 25	1.325 Kg/m
40-9454	Ø 25.5	1.384 Kg/m

Dolu Çubuk

Profil No	A (mm)	Ağırlık Kg/m
20-516	Ø 26	1.440 Kg/m
10-1559	Ø 27	1.546 Kg/m
10-3616	Ø 27.8	1.639 Kg/m
40-7682	Ø 28	1.668 Kg/m
10-3391	Ø 29.8	1.883 Kg/m
10-1560	Ø 30	1.909 Kg/m
10-3427	Ø 32	2.172 Kg/m
20-529	Ø 33	2.320 Kg/m
10-1561	Ø 35	2.598 Kg/m
10-4603	Ø 36	2.748 Kg/m
40-5280	Ø 36.3	2.804 Kg/m
30-1601	Ø 38	3.076 Kg/m
10-2777	Ø 40	3.393 Kg/m
10-1562	Ø 40.2	3.427 Kg/m
30-2130	Ø 41	3.578 Kg/m
40-6365	Ø 42.7	3.880 Kg/m
20-522	Ø 43	3.935 Kg/m
30-1354	Ø 44	4.120 Kg/m
10-4678	Ø 45	4.294 Kg/m
10-2572	Ø 50	5.301 Kg/m
40-3670	Ø 53	5.978 Kg/m
10-4679	Ø 55	6.415 Kg/m
40-3823	Ø 56	6.664 Kg/m
10-4680	Ø 60	7.634 Kg/m
10-4427	Ø 63	8.417 Kg/m
20-526	Ø 65	8.995 Kg/m
40-5333	Ø 68	9.841 Kg/m
10-4681	Ø 70	10.391 Kg/m
10-3428	Ø 71	10.690 Kg/m
40-4881	Ø 77	12.619 Kg/m
20-536	Ø 80	13.625 Kg/m
20-531	Ø 85	15.380 Kg/m
20-539	Ø 90	17.245 Kg/m
20-535	Ø 100	21.290 Kg/m

Dolu Kare

Profil No	A (mm)	B (mm)	Ağırlık Kg/m
30-1874	5	5	0.068 Kg/m
10-1563	6.9	6.9	0.129 Kg/m
10-1564	8	8	0.173 Kg/m
50-9096	8.9	7	0.168 Kg/m
40-9652	9.5	9.5	0.244 Kg/m
20-631	10	8	0.220 Kg/m
10-2082	10	10	0.270 Kg/m
10-2778*	10	10	0.266 Kg/m
50-7731	10.15	8.1	0.223 Kg/m
10-1565	10.9	10.9	0.321 Kg/m
10-1566	12	12	0.389 Kg/m
10-1841*	12	12	0.386 Kg/m
40-8915*	13	13	0.433 Kg/m
10-1567	14	14	0.529 Kg/m
10-1842*	14	14	0.527 Kg/m
40-8596*	15	15	0.604 Kg/m
40-9048*	18	18	0.877 Kg/m
50-11144*	19.5	19.5	1.026 Kg/m
10-1568	20	20	1.080 Kg/m
10-2404*	20	20	1.059 Kg/m
20-627	22	22	1.315 Kg/m
40-9347	24	24	1.570 Kg/m
10-1406	25	25	1.688 Kg/m
10-1569	26	26	1.825 Kg/m
10-4944*	30	30	2.428 Kg/m
20-635**	26.3	25.1	1.795 Kg/m
10-5348	35	35	3.308 Kg/m
50-11927	40	20	2.168 Kg/m
50-1677	40	35	3.780 Kg/m
10-2386	40	40	4.320 Kg/m
20-634	40.1	25.1	2.735 Kg/m
20-629	45	30	3.660 Kg/m
20-637**	50	50	6.780 Kg/m
10-4492	55	55	8.165 Kg/m